

**ACTON BOARD OF HEALTH  
ANNUAL INSPECTION  
OF HAZARDOUS MATERIALS PERMIT HOLDER**

Facility Name: Aqua Man Pool & Spa  
Contact Person: David Williams, Manager  
Address: 161 Brent Road  
Telephone: 261-2018  
Type of Business: pool chemical supply-retail

**Housekeeping:**

- ☐ is area *clean*: yes no
- ☐ are *spills* present: yes no
- ☐ is there *appropriate storage* of materials: yes no
- ☐ are materials and wastes kept *separate*: yes no
- ☐ are *spill cleanup materials* available: yes no
- ☐ do hazardous materials have *secondary containment*: yes no floor
- ☐ are materials and wastes *labeled*: yes no

**Safety:**

- ☐ are *MSDSs* available on site: yes no
- ☐ is employee *personal protective equipment* available on site: yes no
- ☐ are employees *trained* in hazardous materials handling: yes no
- ☐ are *emergency procedures* posted: yes no

**Site Management:**

- ☐ are *wastes removed* by a licensed hauler: yes no N/A
- ☐ are *floor drains* present in any area with hazardous materials or waste: yes no
- ☐ are *sinks* present in any area with hazardous materials or waste: yes no
- ☐ is testing of *septic system* necessary: yes no
- ☐ does *site plan* on file reflect current arrangement: yes no
- ☐ any *UST (underground storage tank)* present: yes no / N/A
- ☐ if UST present, is it *alarmed*: yes no

**Comments:**

*not, organized*

**Areas Needing Immediate Attention:**

**CORRECT BY ONE MONTH FROM TODAY**

**Health Representative Signature/Date:**

*Shaun Walsh Masten Brook 6-25-98*


**Permit Holder Contact Person Signature/Date:**

*David R. Sullivan*

**TOWN OF ACTON  
HAZARDOUS MATERIALS CONTROL BYLAW  
PERMIT RENEWAL APPLICATION**

April 10, 1998

Aqua Man Pool & Spa  
161 Great Road  
Acton, MA 01720



**RENEWAL FORM  
HAZARDOUS MATERIALS STORAGE APPLICATION  
CATEGORIES**

- |                                    |                                    |
|------------------------------------|------------------------------------|
| 1. Large Hazardous Waste Generator | 2. Small Hazardous Waste Generator |
| 3. Hazardous Materials Generator   | 4. Hazardous Materials User        |
| 5. Discharge Permit                | 6. Remediation Permit              |
| 7. Hazardous Waste User            | 8. Haz. Mat. Storer Large Industry |
| 9. Haz. Mat. Storer Small Industry | 10. Haz. Mat. Storer Large Retail  |
| 11. Haz. Mat. Storer Small Retail  | 12. Haz. Waste Storer Industry     |
| 13. Haz. Waste Storer Retail       |                                    |

Provide the following information under the authority of the General Laws of the Commonwealth of Massachusetts, Chapter 94, Section 305A, and Chapter 3, Section 5.

ESTABLISHMENT NAME: AQUAMAN Pool + Spa  
ESTABLISHMENT ADDRESS: 161B GREAT RD  
ESTABLISHMENT TELEPHONE: 978 264 2018  
OWNERS/CORPORATE OFFICERS: Joseph Craschite  
ADDRESS: 16 SIMON WILKINS RD Acton MA.  
TELEPHONE: (978) 266-5593  
ON-SITE MANAGER: DAVID R. WILLIAMS  
OPERATING SCHEDULE: M: 9-5 T: 9-5 W: 9-6 TH: 9-7 Fri: 9-6 SAT 9-5 Sun 12-4pm

Pursuant to the General Laws of Massachusetts, Chapter 62C, Section 49A, I certify under the pains and penalties of perjury that I, to the best of my knowledge and belief, have filed all state tax returns and paid all state taxes required under law.

Signature of Owner/Applicant

S.S.I or F.I.N. Number

Date

04-3304508

4/21/98

NB

Need file

**TOWN OF ACTON  
PERMIT  
HAZARDOUS MATERIALS CONTROL BYLAW  
ARTICLE 16  
1991 ANNUAL TOWN MEETING**

<b>FILE NO.:</b>	<b>98-NB1-06</b>	<b>LOCATION:</b>	<b>161 Great Road</b>
<b>APPLICANT:</b>	<b>Aqua Man Pool &amp; Spa</b>	<b>DATE OF ISSUANCE:</b>	<b>May 1, 1998</b>
<b>MAILING ADDRESS:</b>	<b>161 Great Road Acton, MA 01720</b>	<b>FEE:</b>	<b>\$75.00* PAID</b>
		<b>EXPIRATION DATE:</b>	<b>May 1, 1999</b>

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

**HAZARDOUS MATERIALS CONDITIONS**

1. All Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
6. Copies of either all invoices or manifests for any Hazardous Materials or Wastes, received or disposed, shall be submitted to the Board of Health annually.
8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
9. Floor cleaning procedures and bathroom sanitation products shall use only nontoxic and biodegradable cleaning compounds.
11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.

15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.
18. D.E.P. Generator Registration shall be provided annually upon renewal of the Hazardous Materials Storage Permit.
25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.

\* (11) Haz Mat Str Retail Small \$75.00